

# SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.



**Product name: ZF LifeguardFluid 7.2 MB ATF**

ZF Aftermarket

---

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name: ZF LifeguardFluid 7.2 MB ATF

Product number: 5961.307.352

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

Uses advised against: No uses advised against identified.

### 1.3 Details of the supplier of the safety data sheet

**ZF Friedrichshafen AG**  
**ZF Aftermarket**  
**Obere Weiden 12**  
**97424 Schweinfurt**  
**Germany**  
**+49 9721 475 60**  
**www.zf.com /contact**

### 1.4 Emergency telephone number

**24/7h Emergency telephone number (+49) 89 19 240**

---

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

**Classification according to Regulation (EC) No 1272/2008 as amended.**

#### Health Hazards

Aspiration Hazard Category 1                      H304: May be fatal if swallowed and enters airways.

#### Hazard summary

Physical Hazards                                      No data available.

#### Health Hazards

## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.



**Product name: ZF LifeguardFluid 7.2 MB ATF**

ZF Aftermarket

Ingestion  
If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.

### 2.2 Label Elements

Contains: base oil, low viscous

Hazard pictograms:



GHS 08

Signal Words: Danger

Hazard Statement(s): H304: May be fatal if swallowed and enters airways.

Precautionary Statements

Response: P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P331: Do NOT induce vomiting.

Other hazards: By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

UFI Code: UFI: D740-Y0KJ-5009-7DR4

---

## 3. Composition/information on ingredients

### 3.1 Mixtures

General information  
Mixture containing severely refined base oils and additives.

**SAFETY DATA SHEET**

According to Regulation (EC) No. 1907/2006 (REACH) Article 31,  
Annex II as amended.



**Product name: ZF LifeguardFluid 7.2 MB ATF**

ZF Aftermarket

| Chemical name            | Identifier        | Concentration *   | REACH Registration No |
|--------------------------|-------------------|-------------------|-----------------------|
| base oil, low viscous    | EINECS: 276-738-4 | 50,00% - <100,00% | 01-2119474889-13      |
| Alkyl amine              | EC: 620-540-6     | 0,10% - <0,25%    | 01-2119510877-33      |
| Alkylamine, longchain    | EINECS: 204-694-8 | 0,01% - <0,10%    | 01-2119486676-20      |
| prim. alkanolamine ether | EC: 939-485-7     | 0,01% - <0,10%    | 01-2119974116-35      |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

### Classification

| Chemical name            | Identifier        | Classification   |
|--------------------------|-------------------|--|
| base oil, low viscous    | EINECS: 276-738-4 | CLP: Asp. Tox. 1; H304   |
| Alkyl amine              | EC: 620-540-6     | CLP: Skin Corr. 1C; H314, Eye Dam. 1; H318, Aquatic Acute 1; H400, Aquatic Chronic 1; H410, Acute Tox. 4; H302; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 1  |
| Alkylamine, longchain    | EINECS: 204-694-8 | CLP: Skin Corr. 1B; H314, Eye Dam. 1; H318, Aquatic Acute 1; H400, Aquatic Chronic 1; H410, Acute Tox. 4; H302; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 1  |
| prim. alkanolamine ether | EC: 939-485-7     | CLP: Acute Tox. 4; H302, Skin Corr. 1B; H314, Eye Dam. 1; H318, Aquatic Acute 1; H400, Aquatic Chronic 1; H410; M-Factor (aquatic acute): 100; M-Factor (aquatic chronic): 1 |

CLP: Regulation No. 1272/2008.

For the wording of the listed hazard statements refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.



**Product name: ZF LifeguardFluid 7.2 MB ATF**

ZF Aftermarket

### 4. First aid measures

General: Instantly remove any clothing soiled by the product.

#### 4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do NOT induce vomiting.

**4.2** Most important symptoms and effects, both acute and delayed: If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.

**4.3** Indication of any immediate medical attention and special treatment needed: Get medical attention if symptoms occur.

---

### 5. Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media: CO<sub>2</sub>, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added.

Unsuitable extinguishing media: Water with a full water jet.

**5.2** Special hazards arising from the substance or mixture: During fire, gases hazardous to health may be formed.

## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.



**Product name: ZF LifeguardFluid 7.2 MB ATF**

ZF Aftermarket

### 5.3 Advice for firefighters

|   |   |
|---|---|
| Special fire fighting procedures:               | Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains. |
| Special protective equipment for fire-fighters: | Self-contained breathing apparatus and full protective clothing must be worn in case of fire.   |

---

### 6. Accidental release measures

|   |  |
|---|--|
| <b>6.1</b> Personal precautions, protective equipment and emergency procedures: | In case of spills, beware of slippery floors and surfaces.   |
| <b>6.2</b> Environmental Precautions:   | Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water. |
| <b>6.3</b> Methods and material for containment and cleaning up:                | Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.  |
| <b>6.4</b> Reference to other sections:   | See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.   |

---

### 7. Handling and storage

|   |  |
|---|--|
| <b>7.1</b> Precautions for safe handling: | Prevent formation of aerosols. Do not eat, drink or smoke when working |
|---|--|

## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.



**Product name: ZF LifeguardFluid 7.2 MB ATF**

ZF Aftermarket

with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

**7.2** Conditions for safe storage, including any incompatibilities:

Store locked up. Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.

**7.3** Specific end use(s):

Not applicable

Storage Class:

10, Combustible liquids

---

## 8. Exposure controls/personal protection

### 8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

### 8.2 Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information:

Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal

## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.



**Product name: ZF LifeguardFluid 7.2 MB ATF**

ZF Aftermarket

|                         |  |
|-------------------------|--|
|                         | protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.   |
| Eye/face protection:    | Safety glasses (EN 166) recommended during refilling.  |
| Skin protection         |  |
| Hand Protection:        | Material: Nitrile butyl rubber (NBR).<br>Min. Breakthrough time: $\geq 480$ min<br>Recommended thickness of the material: $\geq 0,38$ mm<br>Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. |
| Other:                  | Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing  |
| Respiratory Protection: | Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.  |
| Thermal hazards:        | Not known.   |
| Hygiene measures:       | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.   |
| Environmental Controls: | No data available.   |

## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.



**Product name: ZF LifeguardFluid 7.2 MB ATF**

ZF Aftermarket

### 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### Appearance

|  |                                       |
|--|---------------------------------------|
| Physical state:                          | liquid                                |
| Form:                                    | liquid                                |
| Color:                                   | Blue                                  |
| Odor:                                    | Characteristic                        |
| Odor Threshold:                          | Not applicable for mixtures           |
| pH:                                      | Not applicable                        |
| Freezing point:                          | Not applicable for mixtures           |
| Boiling Point:                           | Value not relevant for classification |
| Flash Point:                             | 190 °C                                |
| Evaporation Rate:                        | Not applicable for mixtures           |
| Flammability (solid, gas):               | Value not relevant for classification |
| Flammability Limit - Upper (%)-:         | Value not relevant for classification |
| Flammability Limit - Lower (%)-:         | Value not relevant for classification |
| Vapor pressure:                          | Not applicable for mixtures           |
| Vapor density (air=1):                   | Not applicable for mixtures           |
| Density:                                 | 0,84 g/ml (15,00 °C)                  |
| Solubility(ies)                          |                                       |
| Solubility in Water:                     | Insoluble in water                    |
| Solubility (other):                      | No data available.                    |
| Partition coefficient (n-octanol/water): | Not applicable for mixtures           |
| Autoignition Temperature:                | Value not relevant for classification |
| Decomposition Temperature:               | Value not relevant for classification |
| Kinematic viscosity:                     | 18 mm <sup>2</sup> /s (40 °C)         |
| Explosive properties:                    | Value not relevant for classification |
| Oxidizing properties:                    | Value not relevant for classification |

**9.2** Other information: No data available.

### 10. Stability and reactivity

**10.1 Reactivity:** Stable under normal use conditions.

**10.2 Chemical Stability:** Stable under normal use conditions.

**10.3 Possibility of hazardous reactions:** Stable under normal use conditions.



## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.



**Product name: ZF LifeguardFluid 7.2 MB ATF**

ZF Aftermarket

- |   |   |
|---|---|
| <b>10.4 Conditions to avoid:</b>              | Stable under normal use conditions.   |
| <b>10.5 Incompatible Materials:</b>           | Strong oxidizing substances. Strong acids. Strong bases.  |
| <b>10.6 Hazardous Decomposition Products:</b> | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |

---

## 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Oral

Product: Not classified for acute toxicity based on available data.

##### Specified substance(s)

base oil, low viscous

LD 50 (Rat): > 5.001 mg/kg (OECD 401)

Alkyl amine

LD 50 (Rat): 1.350 mg/kg (OECD 401)

Alkylamine, longchain

LD 50 (Rat): 1.230 mg/kg (OECD 401)

##### Dermal

Product: Not classified for acute toxicity based on available data.

##### Specified substance(s)

Alkylamine, longchain

LD 50 (Rabbit): 8.000 mg/kg

##### Inhalation

Product: Not classified for acute toxicity based on available data.

##### Skin Corrosion/Irritation:

Product: Based on available data, the classification criteria are not met.

##### Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are not met.

## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.



**Product name: ZF LifeguardFluid 7.2 MB ATF**

ZF Aftermarket

### Respiratory or Skin Sensitization:

Product:

Skin sensitizer: Based on available data, the classification criteria are not met.

Respiratory sensitizer: Based on available data, the classification criteria are not met.

### Specified substance(s)

Alkyl amine

No sensitizing effect (guinea pig);  
OECD 406

### Germ Cell Mutagenicity

Product:

Based on available data, the classification criteria are not met.

### Carcinogenicity

Product:

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Product:

Based on available data, the classification criteria are not met.

### Specific Target Organ Toxicity - Single Exposure

Product:

Based on available data, the classification criteria are not met.

### Specific Target Organ Toxicity - Repeated Exposure

Product:

Based on available data, the classification criteria are not met.

### Aspiration Hazard

Product:

May be fatal if swallowed and enters airways

### Other adverse effects:

No data available.

---

## 12. Ecological information

### 12.1 Toxicity

Acute toxicity

Product:

Based on available data, the classification criteria are not met.

## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.



### Product name: ZF LifeguardFluid 7.2 MB ATF

ZF Aftermarket

|  |  |
|--|--|
| Fish<br>Specified substance(s)                       |  |
| base oil, low viscous                                | LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)                                    |
| Alkyl amine  | LC 50 (Fish, 96 h): 0,1 mg/l (OECD 203)                                      |
| Alkylamine, longchain                                | LC 50 (Fish, 96 h): 0,26 mg/l  |
| Aquatic Invertebrates<br>Specified substance(s)      |  |
| Alkyl amine  | EC 50 (Water Flea, 48 h): 0,043 mg/l (OECD 202)                              |
| Alkylamine, longchain                                | EC 50 (Water Flea, 48 h): 0,0558 mg/l  |
| Chronic ToxicityProduct:                             | Based on available data, the classification criteria are not met.            |
| Fish<br>Specified substance(s)                       |  |
| base oil, low viscous                                | NOEC (Fish, 14 d): > 1.000 mg/l  |
| Aquatic Invertebrates<br>Specified substance(s)      |  |
| base oil, low viscous                                | NOEC (Water Flea, 21 d): 10 mg/l (OECD 211)                                  |
| Alkyl amine  | EC 10 (Water Flea, 21 d): 0,0107 mg/l (OECD 211)                             |
| Alkylamine, longchain                                | NOEL (Water Flea, 21 d): 0,036 mg/l  |
| Toxicity to Aquatic Plants<br>Specified substance(s) |  |
| base oil, low viscous                                | NOEC (Alga, 72 h): > 100 mg/l (OECD 201)                                     |
| Alkyl amine  | EC 50 (Alga, 72 h): 0,0538 mg/l (OECD 201)<br>NOEC (Alga, 72 h): 0,0156 mg/l |

## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.



**Product name: ZF LifeguardFluid 7.2 MB ATF**

ZF Aftermarket

Alkylamine, longchain EC 50 (Alga, 72 h): 0,0165 mg/l

### 12.2 Persistence and Degradability

Biodegradation Not applicable for mixtures  
Product:  
Specified substance(s)

Alkyl amine 63 % (28 d, OECD 301D) Readily biodegradable

Alkylamine, longchain 68 % (28 d, OECD 301D) Readily biodegradable

### 12.3 Bioaccumulative potential

Product: Not applicable for mixtures

### 12.4 Mobility in soil

Product: Not applicable for mixtures

### 12.5 Results of PBT and vPvB assessment

Product: The product does not contain any substances fulfilling the PBT/vPvB criteria.

### 12.6 Other adverse effects

Product: No data available.

---

## 13. Disposal considerations

### 13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Discharge, treatment, or disposal may be subject to national, state, or local laws.

European Waste Codes 13 02 08\*: other engine, gear and lubricating oils

---

## 14 Transport information

### ADR/RID

14.1 UN Number --

## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.



ZF Aftermarket

### Product name: ZF LifeguardFluid 7.2 MB ATF

14.2 UN Proper Shipping Name --  
14.3 Transport Hazard Class(es)  
Class: Non-dangerous goods  
Label(s): --  
Hazard No. (ADR): --  
Tunnel restriction code: --  
14.4 Packing Group: --  
14.5 Environmental hazards: --  
14.6 Special precautions for user: --

#### ADN

14.1 UN Number: --  
14.2 UN Proper Shipping Name: --  
14.3 Transport Hazard Class(es)  
Class: Non-dangerous goods  
Label(s): --  
Hazard No. (ADR): --  
Tunnel restriction code: --  
14.4 Packing Group: --  
14.5 Environmental hazards: --  
14.6 Special precautions for user: --

#### IMDG

14.1 UN Number: --  
14.2 UN Proper Shipping Name: --  
14.3 Transport Hazard Class(es)  
Class: Non-dangerous goods  
Label(s): --  
EmS No.: --  
14.4 Packing Group: --  
14.5 Environmental hazards: --  
14.6 Special precautions for user: --

#### IATA

14.1 UN Number: --  
14.2 Proper Shipping Name: --  
14.3 Transport Hazard Class(es):  
Class: Non-dangerous goods  
Label(s): --  
14.4 Packing Group: --  
14.5 Environmental hazards: --  
14.6 Special precautions for user: --

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.



**Product name: ZF LifeguardFluid 7.2 MB ATF**

ZF Aftermarket

---

### 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU Regulations

Regulation (EC) No. 2037/2000  
Substances that deplete the ozone  
layer: none

Regulation (EC) No. 850/2004 on  
persistent organic pollutants: none

**15.2** Chemical safety assessme: No Chemical Safety Assessment has been carried out.

---

### 16. Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects

Other information: The classification complies with the current EU lists; however, it has been supplemented with expert literature information and information provided by/about our company. It was derived from the test data and/or the application of the conventional method.

## **SAFETY DATA SHEET**

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.



### **Product name: ZF LifeguardFluid 7.2 MB ATF**

ZF Aftermarket

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature